FRAME PAD ELEVATOR KIT USER GUIDE



Adult assembly required

Read User Guide before assembling

Please keep this guide for further reference


SAFETY INFORMATION:



CE

Conforms to standard EN12195/2 Material: POLYESTER For trampoline use only. **NEVER TO BE USED FOR LIFTING.**

Tel: +44 (0)1884 675801 | www.supertramp.co.uk | sales@jetsports.co.uk



Frame Pad Elevator Kit

Parts List

- 4 x ratchets with attached strap and claw hook (Part A)
- 4 x long straps with claw hook (Part B)



Tel: +44 (0)1884 675801 | www.supertramp.co.uk | sales@jetsports.co.uk

STEP 1

Locate **parts A** and fix the hooked ends into the pre drilled holes shown in the diagram on the right.

At both ends of the trampoline frame, a ratchet should be attached on a side rail and an end rail at opposite sides of the frame



For each ratchet strap, loop the strap under and back over the hooked end as shown in image to the right.




Take **part B** and allocate the hooked end to the designated hole at the opposite end of the trampoline to the ratchet.


Wind the strap under the rail and back over the hook in the same way you did the ratchet strap.

Take **part B** and thread the material end through the narrow gap between the ratchet.





The diagram below shows what one of the corners should look like.





STEP

Take up the slack in the ratchet straps but <u>do</u> <u>**not**</u> tension at this stage.

STEP 7

Fit the frame pads as described on the next page.



Finally, working from underneath the frame, use the ratchet lever to tension the straps by manoeuvering it up and down. When the frame pads are elevated above the springs by approx. 1cm, you have completed fitting your Elevator Kit.